

## Broad-Bandwidth VIS Optical Parametric Amplifier

Ultrashort UV – VIS – NIR pulses

< 50 fs pulse duration at 500 nm


Up to 100 kHz repetition rate

Up to 20 W, 1 mJ pump


Optional UV extension down to 250 nm




ORPHEUS-VIS tuning curves  
Pump: 20 W, 1 mJ



ORPHEUS-VIS typical pulse duration



ORPHEUS-VIS standard configuration's typical spectra set



# Specifications

## MAIN OUTPUT

Configuration	Standard	Wide tuning range
Tuning range	450 – 600 nm	320 – 900 nm
Maximum pump power	20 W	
Pump pulse energy	200 – 1000 μJ	
Conversion efficiency <sup>1)</sup>	> 1.5% @ 500 nm	> 1.5% @ 500 nm > 5.0% @ 660 nm > 0.5% @ 350 nm
Pulse duration	< 50 fs @ 500 – 600 nm	< 50 fs @ 500 – 600 nm < 55 fs @ 800 – 900 nm < 70 fs @ 650 – 800 nm
Spectral bandwidth <sup>2)</sup>	200 – 700 cm <sup>-1</sup>	
Long-term power stability, 8 h <sup>3)</sup>	< 2% @ 500 nm	

## OPTIONAL EXTENSION (UV)

Tuning range	250 – 300 nm
Conversion efficiency <sup>1)</sup>	> 0.15% @ 280 nm
Spectral bandwidth <sup>2)</sup>	200 – 600 cm <sup>-1</sup>

## PUMP LASER REQUIREMENTS

Pump laser	CARBIDE or PHAROS
Center wavelength	1030 ± 10 nm
Maximum pump power	20 W
Maximum repetition rate	100 kHz
Pump pulse energy	200 – 1000 μJ
Pump pulse duration <sup>4)</sup>	200 – 350 fs

## ENVIRONMENTAL & UTILITY REQUIREMENTS

Operating temperature <sup>5)</sup>	19 – 25 °C (air conditioning recommended)
Relative humidity <sup>5)</sup>	20 – 70% (non-condensing)
Electrical requirements	100 – 240 V AC, 1.4 A; 50 – 60 Hz
Rated power	120 W
Power consumption	Standby: 10 W Max during wavelength tuning: 100 W


<sup>1)</sup> Specified as a percentage of pump power.

<sup>2)</sup> Full width at half maximum (FWHM).

<sup>3)</sup> Expressed as normalized root mean squared deviation (NRMSD).


<sup>4)</sup> Full width at half maximum (FWHM), assuming a Gaussian pulse shape.

<sup>5)</sup> Specifications are guaranteed for a maximum temperature variation of ± 1 °C and humidity variation of ± 10%.



## Drawings

### ORPHEUS-VIS



**PHOTO  
TECHNICA** [www.phototechnica.co.jp](http://www.phototechnica.co.jp)  
 フォトテクニカ株式会社  
 〒336-0017 埼玉県さいたま市南区南浦和 2-18-2

TEL:048-871-0067 FAX:048-871-0068  
 e-mail:voc@phototechnica.co.jp

